


Data sheet | Item number: 2020-2208

X-COM S-Mini double-deck carrier/feedthrough terminal block; internally commoned (L); rail mount; 2-conductor, 2-pin; 3.5 mm wide; gray

www.wago.com/2020-2208



RoHS
Compliant

BOMcheck.net

Color:

Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	500 V
Rated impulse voltage (III / 3)	6 kV
Rated current	13.5 A
Legend (ratings)	(III / 3) ≙ Overvoltage category III / Pollution degree 3

Approvals per UL 1059

Rated voltage UL (Use Group B)	300 V
Rated current UL (Use Group B)	15 A
Rated voltage UL (Use Group C)	300 V
Rated current UL (Use Group C)	15 A
Rated voltage UL (Use Group D)	300 V
Rated current UL (Use Group D)	15 A



Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot
Connectable conductor materials	Copper
Nominal cross section	1 mm²
Solid conductor	0.14 ... 1.5 mm² / 24 ... 16 AWG
Solid conductor, push-in termination	0.5 ... 1.5 mm² / 20 ... 16 AWG
Fine-stranded conductor	0.14 ... 1.5 mm² / 24 ... 16 AWG
Fine-stranded conductor with ferrule, push-in termination, from	0.5 mm² / 20 AWG
Strip length	9 ... 11 mm / 0.35 ... 0.43 Inch
Number of levels	2
Total number of connection points	2
Total number of potentials	1
Type of wiring	Front-entry wiring

Geometrical Data

Width	3.5 mm / 0.138 inch
Height from upper-edge of DIN-35 rail	51.3 mm / 2.02 inch
Depth	80.1 mm / 3.154 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Potential marking	L
Marking level	Side marking

Material Data

Color	gray
Insulating material	Polyamide 66 (PA 66)
Fire load	0.191 MJ
Weight	9.98 g

Commercial data

Country of origin	DE
GTIN	4050821049531
Product Group	18 (X-COM-System)

Approvals / Certificates

Country specific Approvals

Logo	Approval	Certificate name
	CSA DEKRA Certification B.V.	2516073
	KEMA/KEUR DEKRA Certification B.V.	71-100670

Ship Approvals

Logo	Approval	Certificate name
	ABS American Bureau of Shipping	14-HG1293677-PDA
	BV Bureau Veritas S.A.	38586/A0 BV
	LR Lloyds Register	91/20112 (E9)

UL-Approvals

Logo	Approval	Certificate name
	UL Underwriters Laboratories Inc.	E45172

Compatible products

General accessories

	Item no.: 2000-121 Adaptor	www.wago.com/2000-121
	Item no.: 2020-161 Start module for 1-conductor female connector; with integrated end plate; 1.5 mm ² ; 1-pole	www.wago.com/2020-161
	Item no.: 2020-164 Start module for 1-conductor female connector; with integrated end plate; 1.5 mm ² ; 1-pole	www.wago.com/2020-164
	Item no.: 2020-167	

Start module for 1-conductor female connector; 1.5 mm²; 1-polewww.wago.com/2020-167**Item no.: 2020-181**End module for 1-conductor female connector; 1.5 mm²; 1-polewww.wago.com/2020-181**Item no.: 2020-184**End module for 1-conductor female connector; 1.5 mm²; 1-polewww.wago.com/2020-184**Item no.: 2020-187**End module for 1-conductor female connector; 1.5 mm²; 1-polewww.wago.com/2020-187**Item no.: 2020-261**Start module for 2-conductor female connector; with integrated end plate; 1.5 mm²; 1-polewww.wago.com/2020-261**Item no.: 2020-264**Start module for 2-conductor female connector; with integrated end plate; 1.5 mm²; 1-polewww.wago.com/2020-264**Item no.: 2020-267**Start module for 2-conductor female connector; 1.5 mm²; 1-polewww.wago.com/2020-267**Item no.: 2020-281**End module for 2-conductor female connector; 1.5 mm²; 1-polewww.wago.com/2020-281**Item no.: 2020-284**End module for 2-conductor female connector; 1.5 mm²; 1-polewww.wago.com/2020-284**Item no.: 2020-287**End module for 2-conductor female connector; 1.5 mm²; 1-polewww.wago.com/2020-287

ferrule

**Item no.: 216-241**Ferrule; Sleeve for 0.5 mm² / AWG 22; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90www.wago.com/216-241**Item no.: 216-242**Ferrule; Sleeve for 0.75 mm² / AWG 20; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90www.wago.com/216-242**Item no.: 216-243**Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90www.wago.com/216-243

End plate

**Item no.: 2020-2291**

End and intermediate plate; 1 mm thick

www.wago.com/2020-2291**Item no.: 2020-2292**

End and intermediate plate; 1 mm thick

www.wago.com/2020-2292

tools

**Item no.: 210-647**

Operating tool with partially insulated shaft; Blade (2.5 x 0.4) mm; short

www.wago.com/210-647**Item no.: 210-648**



Operating tool with partially insulated shaft; Blade (2.5 x 0.4) mm; short; angled

www.wago.com/210-648**Item no.: 210-719**

Operating tool with partially insulated shaft; Type 1, blade (2.5 x 0.4) mm

www.wago.com/210-719**Carrier rail****Item no.: 210-112**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

www.wago.com/210-112**Item no.: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-113**Item no.: 210-114**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

www.wago.com/210-114**Item no.: 210-115**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

www.wago.com/210-115**Item no.: 210-118**

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-118**Item no.: 210-162**

Steel carrier rail; 35 x 7.5 mm; slotted; 1 mm thick

www.wago.com/210-162**Item no.: 210-196**

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715

www.wago.com/210-196**Item no.: 210-197**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

www.wago.com/210-197**Item no.: 210-198**

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

www.wago.com/210-198**Female plug****Item no.: 2020-102**

X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; 1-conductor; 2-pole; 7.7 mm wide; gray

www.wago.com/2020-102**Item no.: 2020-102/122-000**

X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with locking lever; 1-conductor; 2-pole; 7.7 mm wide; gray

www.wago.com/2020-102/122-000**Item no.: 2020-102/132-000**

X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief plate; 1-conductor; 2-pole; 7.7 mm wide; gray

www.wago.com/2020-102/132-000**Item no.: 2020-102/142-000**

X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief plate and locking lever; 1-conductor; 2-pole; 7.7 mm wide; gray

www.wago.com/2020-102/142-000**Item no.: 2020-103**

X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; 1-conductor; 3-pole; 7.7 mm wide; gray

www.wago.com/2020-103



Item no.: 2020-103/000-036
1-conductor female plug; 1.5 mm²; 3-pole

www.wago.com/2020-103/000-036



Item no.: 2020-103/000-037
1-conductor female plug; 1.5 mm²; 3-pole

www.wago.com/2020-103/000-037



Item no.: 2020-103/000-038
1-conductor female plug; 1.5 mm²; 3-pole

www.wago.com/2020-103/000-038



Item no.: 2020-103/000-039
1-conductor female plug; 1.5 mm²; 3-pole

www.wago.com/2020-103/000-039

Item no.: 2020-103/122-000
X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with locking lever;
1-conductor; 3-pole; 7.7 mm wide; gray

www.wago.com/2020-103/122-000

Item no.: 2020-103/132-000
X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief
plate; 1-conductor; 3-pole; 7.7 mm wide; gray

www.wago.com/2020-103/132-000

Item no.: 2020-103/142-000
X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief
plate and locking lever; 1-conductor; 3-pole; 7.7 mm wide; gray

www.wago.com/2020-103/142-000

Item no.: 2020-104
X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; 1-conductor; 4-
pole; 7.7 mm wide; gray

www.wago.com/2020-104



Item no.: 2020-104/000-036
1-conductor female plug; 1.5 mm²; 4-pole

www.wago.com/2020-104/000-036



Item no.: 2020-104/000-037
1-conductor female plug; 1.5 mm²; 4-pole

www.wago.com/2020-104/000-037



Item no.: 2020-104/000-038
1-conductor female plug; 1.5 mm²; 4-pole

www.wago.com/2020-104/000-038



Item no.: 2020-104/000-039
1-conductor female plug; 1.5 mm²; 4-pole

www.wago.com/2020-104/000-039

Item no.: 2020-104/124-000
X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with locking lever;
1-conductor; 4-pole; 7.7 mm wide; gray

www.wago.com/2020-104/124-000

Item no.: 2020-104/133-000
X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief
plate; 1-conductor; 4-pole; 7.7 mm wide; gray

www.wago.com/2020-104/133-000

Item no.: 2020-104/143-000
X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief
plate and locking lever; 1-conductor; 4-pole; 7.7 mm wide; gray

www.wago.com/2020-104/143-000

	Item no.: 2020-105 X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; 1-conductor; 5-pole; 7.7 mm wide; gray	www.wago.com/2020-105
	Item no.: 2020-105/000-036 1-conductor female plug; 1.5 mm ² ; 5-pole	www.wago.com/2020-105/000-036
	Item no.: 2020-105/000-037 1-conductor female plug; 1.5 mm ² ; 5-pole	www.wago.com/2020-105/000-037
	Item no.: 2020-105/000-038 1-conductor female plug; 1.5 mm ² ; 5-pole	www.wago.com/2020-105/000-038
	Item no.: 2020-105/000-039 1-conductor female plug; 1.5 mm ² ; 5-pole	www.wago.com/2020-105/000-039
	Item no.: 2020-105/124-000 X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with locking lever; 1-conductor; 5-pole; 7.7 mm wide; gray	www.wago.com/2020-105/124-000
	Item no.: 2020-105/133-000 X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief plate; 1-conductor; 5-pole; 7.7 mm wide; gray	www.wago.com/2020-105/133-000
	Item no.: 2020-105/143-000 X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief plate and locking lever; 1-conductor; 5-pole; 7.7 mm wide; gray	www.wago.com/2020-105/143-000
	Item no.: 2020-106 X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; 1-conductor; 6-pole; 7.7 mm wide; gray	www.wago.com/2020-106
	Item no.: 2020-106/000-036 1-conductor female plug; 1.5 mm ² ; 6-pole	www.wago.com/2020-106/000-036
	Item no.: 2020-106/000-037 1-conductor female plug; 1.5 mm ² ; 6-pole	www.wago.com/2020-106/000-037
	Item no.: 2020-106/000-038 1-conductor female plug; 1.5 mm ² ; 6-pole	www.wago.com/2020-106/000-038
	Item no.: 2020-106/000-039 1-conductor female plug; 1.5 mm ² ; 6-pole	www.wago.com/2020-106/000-039
	Item no.: 2020-106/124-000 X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with locking lever; 1-conductor; 6-pole; 7.7 mm wide; gray	www.wago.com/2020-106/124-000
	Item no.: 2020-106/133-000 X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief plate; 1-conductor; 6-pole; 7.7 mm wide; gray	www.wago.com/2020-106/133-000

	Item no.: 2020-106/143-000 X-COM S-Mini female plug; rail mount; for 2020 series carrier terminal blocks; with strain relief plate and locking lever; 1-conductor; 6-pole; 7.7 mm wide; gray	www.wago.com/2020-106/143-000
	Item no.: 2020-107 1-conductor female plug; 1.5 mm ² ; 7-pole	www.wago.com/2020-107
	Item no.: 2020-107/000-036 1-conductor female plug; 1.5 mm ² ; 7-pole	www.wago.com/2020-107/000-036
	Item no.: 2020-107/000-037 1-conductor female plug; 1.5 mm ² ; 7-pole	www.wago.com/2020-107/000-037
	Item no.: 2020-107/000-038 1-conductor female plug; 1.5 mm ² ; 7-pole	www.wago.com/2020-107/000-038
	Item no.: 2020-107/000-039 1-conductor female plug; 1.5 mm ² ; 7-pole	www.wago.com/2020-107/000-039
	Item no.: 2020-107/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 7-pole	www.wago.com/2020-107/124-000
	Item no.: 2020-107/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 7-pole	www.wago.com/2020-107/134-000
	Item no.: 2020-107/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 7-pole	www.wago.com/2020-107/144-000
	Item no.: 2020-108 1-conductor female plug; 1.5 mm ² ; 8-pole	www.wago.com/2020-108
	Item no.: 2020-108/000-036 1-conductor female plug; 1.5 mm ² ; 8-pole	www.wago.com/2020-108/000-036
	Item no.: 2020-108/000-037 1-conductor female plug; 1.5 mm ² ; 8-pole	www.wago.com/2020-108/000-037
	Item no.: 2020-108/000-038 1-conductor female plug; 1.5 mm ² ; 8-pole	www.wago.com/2020-108/000-038
	Item no.: 2020-108/000-039 1-conductor female plug; 1.5 mm ² ; 8-pole	www.wago.com/2020-108/000-039
	Item no.: 2020-108/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 8-pole	www.wago.com/2020-108/124-000



	Item no.: 2020-108/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 8-pole	www.wago.com/2020-108/134-000
	Item no.: 2020-108/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 8-pole	www.wago.com/2020-108/144-000
	Item no.: 2020-109 1-conductor female plug; 1.5 mm ² ; 9-pole	www.wago.com/2020-109
	Item no.: 2020-109/000-036 1-conductor female plug; 1.5 mm ² ; 9-pole	www.wago.com/2020-109/000-036
	Item no.: 2020-109/000-037 1-conductor female plug; 1.5 mm ² ; 9-pole	www.wago.com/2020-109/000-037
	Item no.: 2020-109/000-038 1-conductor female plug; 1.5 mm ² ; 9-pole	www.wago.com/2020-109/000-038
	Item no.: 2020-109/000-039 1-conductor female plug; 1.5 mm ² ; 9-pole	www.wago.com/2020-109/000-039
	Item no.: 2020-109/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 9-pole	www.wago.com/2020-109/124-000
	Item no.: 2020-109/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 9-pole	www.wago.com/2020-109/134-000
	Item no.: 2020-109/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 9-pole	www.wago.com/2020-109/144-000
	Item no.: 2020-110 1-conductor female plug; 1.5 mm ² ; 10-pole	www.wago.com/2020-110
	Item no.: 2020-110/000-036 1-conductor female plug; 1.5 mm ² ; 10-pole	www.wago.com/2020-110/000-036
	Item no.: 2020-110/000-037 1-conductor female plug; 1.5 mm ² ; 10-pole	www.wago.com/2020-110/000-037
	Item no.: 2020-110/000-038 1-conductor female plug; 1.5 mm ² ; 10-pole	www.wago.com/2020-110/000-038
	Item no.: 2020-110/000-039 1-conductor female plug; 1.5 mm ² ; 10-pole	www.wago.com/2020-110/000-039

	Item no.: 2020-110/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 10-pole	www.wago.com/2020-110/125-000
	Item no.: 2020-110/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 10-pole	www.wago.com/2020-110/135-000
	Item no.: 2020-110/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 10-pole	www.wago.com/2020-110/145-000
	Item no.: 2020-111 1-conductor female plug; 1.5 mm ² ; 11-pole	www.wago.com/2020-111
	Item no.: 2020-111/000-036 1-conductor female plug; 1.5 mm ² ; 11-pole	www.wago.com/2020-111/000-036
	Item no.: 2020-111/000-037 1-conductor female plug; 1.5 mm ² ; 11-pole	www.wago.com/2020-111/000-037
	Item no.: 2020-111/000-038 1-conductor female plug; 1.5 mm ² ; 11-pole	www.wago.com/2020-111/000-038
	Item no.: 2020-111/000-039 1-conductor female plug; 1.5 mm ² ; 11-pole	www.wago.com/2020-111/000-039
	Item no.: 2020-111/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 11-pole	www.wago.com/2020-111/125-000
	Item no.: 2020-111/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 11-pole	www.wago.com/2020-111/135-000
	Item no.: 2020-111/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 11-pole	www.wago.com/2020-111/145-000
	Item no.: 2020-112 1-conductor female plug; 1.5 mm ² ; 12-pole	www.wago.com/2020-112
	Item no.: 2020-112/000-036 1-conductor female plug; 1.5 mm ² ; 12-pole	www.wago.com/2020-112/000-036
	Item no.: 2020-112/000-037 1-conductor female plug; 1.5 mm ² ; 12-pole	www.wago.com/2020-112/000-037
	Item no.: 2020-112/000-038 1-conductor female plug; 1.5 mm ² ; 12-pole	www.wago.com/2020-112/000-038



Item no.: 2020-112/000-039
1-conductor female plug; 1.5 mm²; 12-pole

www.wago.com/2020-112/000-039

Item no.: 2020-112/125-000
1-conductor female plug; Locking lever; 1.5 mm²; 12-pole

www.wago.com/2020-112/125-000

Item no.: 2020-112/135-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 12-pole

www.wago.com/2020-112/135-000

Item no.: 2020-112/145-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 12-pole

www.wago.com/2020-112/145-000

Item no.: 2020-113
1-conductor female plug; 1.5 mm²; 13-pole

www.wago.com/2020-113

Item no.: 2020-113/000-036
1-conductor female plug; 1.5 mm²; 13-pole

www.wago.com/2020-113/000-036

Item no.: 2020-113/000-037
1-conductor female plug; 1.5 mm²; 13-pole

www.wago.com/2020-113/000-037

Item no.: 2020-113/000-038
1-conductor female plug; 1.5 mm²; 13-pole

www.wago.com/2020-113/000-038

Item no.: 2020-113/000-039
1-conductor female plug; 1.5 mm²; 13-pole

www.wago.com/2020-113/000-039

Item no.: 2020-113/125-000
1-conductor female plug; Locking lever; 1.5 mm²; 13-pole

www.wago.com/2020-113/125-000

Item no.: 2020-113/135-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 13-pole

www.wago.com/2020-113/135-000

Item no.: 2020-113/145-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 13-pole

www.wago.com/2020-113/145-000

Item no.: 2020-114
1-conductor female plug; 1.5 mm²; 14-pole

www.wago.com/2020-114

Item no.: 2020-114/000-036
1-conductor female plug; 1.5 mm²; 14-pole

www.wago.com/2020-114/000-036

Item no.: 2020-114/000-037
1-conductor female plug; 1.5 mm²; 14-pole

www.wago.com/2020-114/000-037



	Item no.: 2020-114/000-038 1-conductor female plug; 1.5 mm ² ; 14-pole	www.wago.com/2020-114/000-038
	Item no.: 2020-114/000-039 1-conductor female plug; 1.5 mm ² ; 14-pole	www.wago.com/2020-114/000-039
	Item no.: 2020-114/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 14-pole	www.wago.com/2020-114/125-000
	Item no.: 2020-114/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 14-pole	www.wago.com/2020-114/135-000
	Item no.: 2020-114/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 14-pole	www.wago.com/2020-114/145-000
	Item no.: 2020-115 1-conductor female plug; 1.5 mm ² ; 15-pole	www.wago.com/2020-115
	Item no.: 2020-115/000-036 1-conductor female plug; 1.5 mm ² ; 15-pole	www.wago.com/2020-115/000-036
	Item no.: 2020-115/000-037 1-conductor female plug; 1.5 mm ² ; 15-pole	www.wago.com/2020-115/000-037
	Item no.: 2020-115/000-038 1-conductor female plug; 1.5 mm ² ; 15-pole	www.wago.com/2020-115/000-038
	Item no.: 2020-115/000-039 1-conductor female plug; 1.5 mm ² ; 15-pole	www.wago.com/2020-115/000-039
	Item no.: 2020-115/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 15-pole	www.wago.com/2020-115/125-000
	Item no.: 2020-115/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 15-pole	www.wago.com/2020-115/135-000
	Item no.: 2020-115/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 15-pole	www.wago.com/2020-115/145-000
	Item no.: 2020-202 2-conductor female connector; 1.5 mm ² ; 2-pole	www.wago.com/2020-202
	Item no.: 2020-203 2-conductor female connector; 1.5 mm ² ; 3-pole	www.wago.com/2020-203



Item no.: 2020-203/000-036
2-conductor female connector; 1.5 mm²; 3-pole

www.wago.com/2020-203/000-036



Item no.: 2020-203/000-037
2-conductor female connector; 1.5 mm²; 3-pole

www.wago.com/2020-203/000-037



Item no.: 2020-203/000-038
2-conductor female connector; 1.5 mm²; 3-pole

www.wago.com/2020-203/000-038



Item no.: 2020-203/000-039
2-conductor female connector; 1.5 mm²; 3-pole

www.wago.com/2020-203/000-039

Item no.: 2020-204
2-conductor female connector; 1.5 mm²; 4-pole

www.wago.com/2020-204



Item no.: 2020-204/000-036
2-conductor female connector; 1.5 mm²; 4-pole

www.wago.com/2020-204/000-036



Item no.: 2020-204/000-037
2-conductor female connector; 1.5 mm²; 4-pole

www.wago.com/2020-204/000-037



Item no.: 2020-204/000-038
2-conductor female connector; 1.5 mm²; 4-pole

www.wago.com/2020-204/000-038



Item no.: 2020-204/000-039
2-conductor female connector; 1.5 mm²; 4-pole

www.wago.com/2020-204/000-039

Item no.: 2020-205
2-conductor female connector; 1.5 mm²; 5-pole

www.wago.com/2020-205



Item no.: 2020-205/000-036
2-conductor female connector; 1.5 mm²; 5-pole

www.wago.com/2020-205/000-036



Item no.: 2020-205/000-037
2-conductor female connector; 1.5 mm²; 5-pole

www.wago.com/2020-205/000-037



Item no.: 2020-205/000-038
2-conductor female connector; 1.5 mm²; 5-pole

www.wago.com/2020-205/000-038



Item no.: 2020-205/000-039
2-conductor female connector; 1.5 mm²; 5-pole

www.wago.com/2020-205/000-039

Item no.: 2020-206
2-conductor female connector; 1.5 mm²; 6-pole

www.wago.com/2020-206



Item no.: 2020-206/000-036
2-conductor female connector; 1.5 mm²; 6-pole

www.wago.com/2020-206/000-036



Item no.: 2020-206/000-037
2-conductor female connector; 1.5 mm²; 6-pole

www.wago.com/2020-206/000-037



Item no.: 2020-206/000-038
2-conductor female connector; 1.5 mm²; 6-pole

www.wago.com/2020-206/000-038



Item no.: 2020-206/000-039
2-conductor female connector; 1.5 mm²; 6-pole

www.wago.com/2020-206/000-039

Item no.: 2020-207
2-conductor female connector; 1.5 mm²; 7-pole

www.wago.com/2020-207



Item no.: 2020-207/000-036
2-conductor female connector; 1.5 mm²; 7-pole

www.wago.com/2020-207/000-036



Item no.: 2020-207/000-037
2-conductor female connector; 1.5 mm²; 7-pole

www.wago.com/2020-207/000-037



Item no.: 2020-207/000-038
2-conductor female connector; 1.5 mm²; 7-pole

www.wago.com/2020-207/000-038



Item no.: 2020-207/000-039
2-conductor female connector; 1.5 mm²; 7-pole

www.wago.com/2020-207/000-039

Item no.: 2020-208
2-conductor female connector; 1.5 mm²; 8-pole

www.wago.com/2020-208

Item no.: 2020-208/000-036
2-conductor female connector; 1.5 mm²; 8-pole

www.wago.com/2020-208/000-036

Item no.: 2020-208/000-037
2-conductor female connector; 1.5 mm²; 8-pole

www.wago.com/2020-208/000-037

Item no.: 2020-208/000-038
2-conductor female connector; 1.5 mm²; 8-pole

www.wago.com/2020-208/000-038

Item no.: 2020-208/000-039
2-conductor female connector; 1.5 mm²; 8-pole

www.wago.com/2020-208/000-039

Item no.: 2020-209
2-conductor female connector; 1.5 mm²; 9-pole

www.wago.com/2020-209



Item no.: 2020-209/000-036
2-conductor female connector; 1.5 mm²; 9-pole

www.wago.com/2020-209/000-036



Item no.: 2020-209/000-037
2-conductor female connector; 1.5 mm²; 9-pole

www.wago.com/2020-209/000-037



Item no.: 2020-209/000-038
2-conductor female connector; 1.5 mm²; 9-pole

www.wago.com/2020-209/000-038



Item no.: 2020-209/000-039
2-conductor female connector; 1.5 mm²; 9-pole

www.wago.com/2020-209/000-039

Item no.: 2020-210
2-conductor female connector; 1.5 mm²; 10-pole

www.wago.com/2020-210

Item no.: 2020-210/000-036
2-conductor female connector; 1.5 mm²; 10-pole

www.wago.com/2020-210/000-036

Item no.: 2020-210/000-037
2-conductor female connector; 1.5 mm²; 10-pole

www.wago.com/2020-210/000-037

Item no.: 2020-210/000-038
2-conductor female connector; 1.5 mm²; 10-pole

www.wago.com/2020-210/000-038

Item no.: 2020-210/000-039
2-conductor female connector; 1.5 mm²; 10-pole

www.wago.com/2020-210/000-039

Item no.: 2020-211
2-conductor female connector; 1.5 mm²; 11-pole

www.wago.com/2020-211

Item no.: 2020-211/000-036
2-conductor female connector; 1.5 mm²; 11-pole

www.wago.com/2020-211/000-036

Item no.: 2020-211/000-037
2-conductor female connector; 1.5 mm²; 11-pole

www.wago.com/2020-211/000-037

Item no.: 2020-211/000-038
2-conductor female connector; 1.5 mm²; 11-pole

www.wago.com/2020-211/000-038

Item no.: 2020-211/000-039
2-conductor female connector; 1.5 mm²; 11-pole

www.wago.com/2020-211/000-039

Item no.: 2020-212
2-conductor female connector; 1.5 mm²; 12-pole

www.wago.com/2020-212



Item no.: 2020-212/000-036
2-conductor female connector; 1.5 mm²; 12-pole

www.wago.com/2020-212/000-036



Item no.: 2020-212/000-037
2-conductor female connector; 1.5 mm²; 12-pole

www.wago.com/2020-212/000-037



Item no.: 2020-212/000-038
2-conductor female connector; 1.5 mm²; 12-pole

www.wago.com/2020-212/000-038



Item no.: 2020-212/000-039
2-conductor female connector; 1.5 mm²; 12-pole

www.wago.com/2020-212/000-039

Item no.: 2020-213
2-conductor female connector; 1.5 mm²; 13-pole

www.wago.com/2020-213

Item no.: 2020-213/000-036
2-conductor female connector; 1.5 mm²; 13-pole

www.wago.com/2020-213/000-036

Item no.: 2020-213/000-037
2-conductor female connector; 1.5 mm²; 13-pole

www.wago.com/2020-213/000-037

Item no.: 2020-213/000-038
2-conductor female connector; 1.5 mm²; 13-pole

www.wago.com/2020-213/000-038

Item no.: 2020-213/000-039
2-conductor female connector; 1.5 mm²; 13-pole

www.wago.com/2020-213/000-039

Item no.: 2020-214
2-conductor female connector; 1.5 mm²; 14-pole

www.wago.com/2020-214

Item no.: 2020-214/000-036
2-conductor female connector; 1.5 mm²; 14-pole

www.wago.com/2020-214/000-036

Item no.: 2020-214/000-037
2-conductor female connector; 1.5 mm²; 14-pole

www.wago.com/2020-214/000-037

Item no.: 2020-214/000-038
2-conductor female connector; 1.5 mm²; 14-pole

www.wago.com/2020-214/000-038

Item no.: 2020-214/000-039
2-conductor female connector; 1.5 mm²; 14-pole

www.wago.com/2020-214/000-039

Item no.: 2020-215
2-conductor female connector; 1.5 mm²; 15-pole

www.wago.com/2020-215

Item no.: 2020-215/000-036
2-conductor female connector; 1.5 mm²; 15-pole

www.wago.com/2020-215/000-036

Item no.: 2020-215/000-037
2-conductor female connector; 1.5 mm²; 15-pole

www.wago.com/2020-215/000-037

Item no.: 2020-215/000-038
2-conductor female connector; 1.5 mm²; 15-pole

www.wago.com/2020-215/000-038

Item no.: 2020-215/000-039
2-conductor female connector; 1.5 mm²; 15-pole

www.wago.com/2020-215/000-039

Protective Warning Marker



Item no.: 2000-115
TOPJOB®S protective warning marker; with high-voltage symbol, for 2000 series terminal blocks; for 5 terminal blocks

www.wago.com/2000-115

check



Item no.: 2009-174
TOPJOB®S test plug adapter; for test plug 4 mm Ø; for testing TOPJOB®S terminal blocks; gray

www.wago.com/2009-174



Item no.: 2009-182
TOPJOB®S testing tap; tool-free; 12 AWG max; for testing TOPJOB®S terminal blocks; gray

www.wago.com/2009-182

Coding



Item no.: 2020-100
Carrier with 6 coding pins; for coding of female plugs; for carrier terminal blocks

www.wago.com/2020-100

Marking accessories



Item no.: 2009-110
Marking strips; on reel; not stretchable; plain; snap-on type

www.wago.com/2009-110



Item no.: 2009-113
WMB-Inline; for smartPRINTER; on reel; plain; snap-on type

www.wago.com/2009-113



Item no.: 2009-113/000-002
WMB-Inline; for smartPRINTER; on reel; plain; snap-on type

www.wago.com/2009-113/000-002



Item no.: 2009-113/000-005
WMB-Inline; for smartPRINTER; on reel; plain; snap-on type

www.wago.com/2009-113/000-005



Item no.: 2009-113/000-006
WMB-Inline; for smartPRINTER; on reel; plain; snap-on type

www.wago.com/2009-113/000-006



Item no.: 2009-113/000-007
WMB-Inline; for smartPRINTER; on reel; plain; snap-on type

www.wago.com/2009-113/000-007

	Item no.: 2009-113/000-012 WMB-Inline; for smartPRINTER; on reel; plain; snap-on type	www.wago.com/2009-113/000-012
	Item no.: 2009-113/000-017 WMB-Inline; for smartPRINTER; on reel; plain; snap-on type	www.wago.com/2009-113/000-017
	Item no.: 2009-113/000-023 WMB-Inline; for smartPRINTER; on reel; plain; snap-on type	www.wago.com/2009-113/000-023
	Item no.: 2009-113/000-024 WMB-Inline; for smartPRINTER; on reel; plain; snap-on type	www.wago.com/2009-113/000-024
	Item no.: 793-3501 WMB marking card; as card; plain; snap-on type	www.wago.com/793-3501
Jumper		
	Item no.: 2000-402 TOPJOB®S jumper; for 2000 series; insulated; 2-way; light-gray	www.wago.com/2000-402
	Item no.: 2000-402/000-005 TOPJOB®S jumper; for 2000 series; insulated; 2-way; red	www.wago.com/2000-402/000-005
	Item no.: 2000-402/000-006 TOPJOB®S jumper; for 2000 series; insulated; 2-way; blue	www.wago.com/2000-402/000-006
	Item no.: 2000-402/000-018 TOPJOB®S jumper; for 2000 series; insulated; 2-way; green-yellow	www.wago.com/2000-402/000-018
	Item no.: 2000-403 TOPJOB®S jumper; for 2000 series; insulated; 3-way; light-gray	www.wago.com/2000-403
	Item no.: 2000-403/000-005 TOPJOB®S jumper; for 2000 series; insulated; 3-way; red	www.wago.com/2000-403/000-005
	Item no.: 2000-403/000-006 TOPJOB®S jumper; for 2000 series; insulated; 3-way; blue	www.wago.com/2000-403/000-006
	Item no.: 2000-404 TOPJOB®S jumper; for 2000 series; insulated; 4-way; light-gray	www.wago.com/2000-404
	Item no.: 2000-404/000-005 TOPJOB®S jumper; for 2000 series; insulated; 4-way; red	www.wago.com/2000-404/000-005
	Item no.: 2000-404/000-006 TOPJOB®S jumper; for 2000 series; insulated; 4-way; blue	www.wago.com/2000-404/000-006



Item no.: 2000-405
TOPJOB®S jumper; for 2000 series; insulated; 5-way; light-gray

www.wago.com/2000-405



Item no.: 2000-405/000-005
TOPJOB®S jumper; for 2000 series; insulated; 5-way; red

www.wago.com/2000-405/000-005



Item no.: 2000-405/000-006
TOPJOB®S jumper; for 2000 series; insulated; 5-way; blue

www.wago.com/2000-405/000-006



Item no.: 2000-405/011-000
TOPJOB®S jumper; Wye configuration; for 2000 series; insulated; 3-way (1-3-5); light-gray

www.wago.com/2000-405/011-000



Item no.: 2000-406
TOPJOB®S jumper; for 2000 series; insulated; 6-way; light-gray

www.wago.com/2000-406



Item no.: 2000-406/000-005
TOPJOB®S jumper; for 2000 series; insulated; 6-way; red

www.wago.com/2000-406/000-005



Item no.: 2000-406/000-006
TOPJOB®S jumper; for 2000 series; insulated; 6-way; blue

www.wago.com/2000-406/000-006



Item no.: 2000-406/020-000
TOPJOB®S jumper; Delta configuration; for 2000 series; insulated; 6-way (1-2, 3-4, 5-6); light-gray

www.wago.com/2000-406/020-000



Item no.: 2000-407
TOPJOB®S jumper; for 2000 series; insulated; 7-way; light-gray

www.wago.com/2000-407



Item no.: 2000-407/000-005
TOPJOB®S jumper; for 2000 series; insulated; 7-way; red

www.wago.com/2000-407/000-005



Item no.: 2000-407/000-006
TOPJOB®S jumper; for 2000 series; insulated; 7-way; blue

www.wago.com/2000-407/000-006



Item no.: 2000-408
TOPJOB®S jumper; for 2000 series; insulated; 8-way; light-gray

www.wago.com/2000-408



Item no.: 2000-408/000-005
TOPJOB®S jumper; for 2000 series; insulated; 8-way; red

www.wago.com/2000-408/000-005



Item no.: 2000-408/000-006
TOPJOB®S jumper; for 2000 series; insulated; 8-way; blue

www.wago.com/2000-408/000-006



Item no.: 2000-409
TOPJOB®S jumper; for 2000 series; insulated; 9-way; light-gray

www.wago.com/2000-409



Item no.: 2000-409/000-005
TOPJOB®S jumper; for 2000 series; insulated; 9-way; red

www.wago.com/2000-409/000-005

	Item no.: 2000-409/000-006 TOPJOB®S jumper; for 2000 series; insulated; 9-way; blue	www.wago.com/2000-409/000-006
	Item no.: 2000-410 TOPJOB®S jumper; for 2000 series; insulated; 10-way; light-gray	www.wago.com/2000-410
	Item no.: 2000-410/000-005 TOPJOB®S jumper; for 2000 series; insulated; 10-way; red	www.wago.com/2000-410/000-005
	Item no.: 2000-410/000-006 TOPJOB®S jumper; for 2000 series; insulated; 10-way; blue	www.wago.com/2000-410/000-006
	Item no.: 2000-433 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-3); light-gray	www.wago.com/2000-433
	Item no.: 2000-433/000-005 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-3); red	www.wago.com/2000-433/000-005
	Item no.: 2000-433/000-006 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-3); blue	www.wago.com/2000-433/000-006
	Item no.: 2000-434 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-4); light-gray	www.wago.com/2000-434
	Item no.: 2000-435 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-5); light-gray	www.wago.com/2000-435
	Item no.: 2000-436 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-6); light-gray	www.wago.com/2000-436
	Item no.: 2000-437 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-7); light-gray	www.wago.com/2000-437
	Item no.: 2000-438 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-8); light-gray	www.wago.com/2000-438
	Item no.: 2000-439 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-9); light-gray	www.wago.com/2000-439
	Item no.: 2000-440 TOPJOB®S jumper; for 2000 series; insulated; 2-way (1-10); light-gray	www.wago.com/2000-440
	Item no.: 2000-492 TOPJOB®S double-deck vertical jumper; for 2000 series; insulated; double-deck; light-gray	www.wago.com/2000-492
	Item no.: 2002-492/000-012 TOPJOB®S double-deck vertical jumper; for 2002 series; insulated; double-deck; orange	www.wago.com/2002-492/000-012
	Item no.: 2009-402 TOPJOB®S wire jumper; insulated; 60 mm long; conductor cross section 0.75 mm ² ; suitable for 2000 and 2020 series terminal blocks; gray	www.wago.com/2009-402
	Item no.: 2009-404 TOPJOB®S wire jumper; insulated; 110 mm long; conductor cross section 0.75 mm ² ; suitable for	www.wago.com/2009-404



2000 and 2020 series terminal blocks; gray

**Item no.: 2009-406**TOPJOB®S wire jumper; insulated; 250 mm long; conductor cross section 0.75 mm²; suitable for 2000 and 2020 series terminal blocks; gray www.wago.com/2009-406**Item no.: 210-103**

Wire commoning chain; insulated; 50 connections

www.wago.com/210-103**Item no.: 210-123**

Wire commoning chain; insulated; 50 connections

www.wago.com/210-123

Downloads

Documentation

Bid Text

2020-2208	Aug 14, 2018	DOCX 15.7 kB	Download
-----------	--------------	-----------------	----------

CAD files

CAD data

3D Download 2020-2208	URL	Download
-----------------------	-----	----------

Product family

X-COM S-Mini

[Show all products from the family](#)

Subject to changes.

WAGO Corporation
 Germantown, WI 53022
 32423 Minden
 Phone: +49571 887-0 | Fax: (262) 255-6222
 Email: info.us@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at {0}.