


Note: Data provided here are offered in good faith and are as reliable and accurate as possible. However, they do not constitute a contract of supply or purchase unless specifically confirmed in writing by an authorized representative of ITT. All information provided here are the property of ITT ICS and are not to be reproduced in any form without direct authorization from ITT ICS. ITT ICS strongly recommends that you contact your local ITT Sales Office for confirmation of all the details you obtain from our Web pages. Please be aware that data may change at any time and without notice. For a listing of Sales Offices, Distributors and authorized distributors please use the "Global Sales Locator" located either to the right of this data or at the top of the page.

Our Descriptive Part Number: DM130338

Our Global Manufacturing Part Number: 130338-0000

	CONSULT FACTORY	RoHS compliant =	material restrictions of lead, cadmium, hexavalent chromium, mercury, poly brominated diphenyl ether (PBB) and poly bromide diphenyl ether (PBDE) according to directive 2002/95/EC
	CONSULT FACTORY	RoHS compatible =	Compatible with lead free soldering process

Export Compliance

	Country of Compliance	United States
	Export Compliance Notes	Commercial Shipments "C" Controlled by the US Department of Commerce.

Product Datasheet

Thumbnail Image	
Where Sold	Asia Pacific, Americas, Europe
Product Group	D-Subminiature
Product Sub-Family	D-Sub Combo
Component Type	Size 8 Contact
Application Type	Commercial
Cable or PC Board	Cable
Gender	Plug
Number of Signal Pins	0
Number of Size 8 contacts	1
Straight or Right Angle	Straight
Contact Plating	30 micro inches Gold over Nickel
Other Features	40 A High Power
Contact Termination	Crimp 8 AWG
Temperature Rating	-55°C to +125°C
Current Capacity	40 A
Contact Resistance	5 milli ohms max
Dielectric Withstanding Voltage	1000 V AC at Sea Level
Contact Material	Copper Alloy
Other Information	Retaining Ring Material is Copper Alloy Nickel Plated Tooling see Tooling Section