



Figure similar

accessory for Switch disconnecter with fuses In-line design, pluggable current transformer 50/1 A, Cl. 1, 1 VA

Model	
product brand name	SETRON
product designation	Current transformer
design of the product	accessory for switch disconnecter with fuses 3NJ6
insulation voltage rated value	3 kV
designation of overcurrent limiting factor	FS 5
current	
• at input rated value	50 A
value range of the operating frequency	50/60 Hz
Protection class	
protection class IP	IP20
Mechanical Design	
height	65 mm
width	44 mm
depth	30 mm
diameter of inlet opening	21 mm
net weight	171 g
Environmental conditions	
ambient temperature during operation	
• minimum	-10 °C
• maximum	55 °C

Approvals Certificates		
General Product Approval	EMV	Test Certificates



[Confirmation](#)



[Type Test Certificates/Test Report](#)

other	Environment
Miscellaneous	Confirmation Environmental Confirmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NJ6920-3BB11>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NJ6920-3BB11>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NJ6920-3BB11

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

8/16/2023 

