





RoHS
Compliant

BOMcheck.net

Color: ■

Data
Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	250 V
Rated impulse voltage (III / 3)	4 kV
Rated voltage (III / 2)	500 V
Rated impulse voltage (III / 2)	4 kV
Rated current	32 A
Legend (ratings)	(III / 3) ≙ Overvoltage category III / Pollution degree 3

Connection data

Actuation type	Operating tool
No. of poles	5
Number of levels	1
Total number of potentials	5

Geometrical Data

Pin spacing	5 mm / 0.197 inch
Width	39.7 mm / 1.563 inch
Height from the surface	18.3 mm / 0.72 inch
Depth	22.2 mm / 0.874 inch
Solder pin dimensions	Solder pin 1 x 1 mm

Mechanical data

Mounting type	Mounting flange
---------------	-----------------

Plug connection

Contact type (pluggable connector)	Male connector/plug
Connector connection type	for PCBs
Mismating protection	No
Mating direction to the PCB	0°

PCB contact

PCB contact	THT
-------------	-----

Material Data

Color	gray
Insulating material	Polyamide 66 (PA 66)
Fire load	0.155 MJ
Weight	6.974 g

Commercial data

Country of origin	PL
GTIN	4044918396738
Product Group	18 (X-COM-System)

Compatible products

Marking accessories

	Item no.: 210-831 Marking strips; on reel; 2.3 mm wide; plain; Self-adhesive	www.wago.com/210-831
	Item no.: 210-832 Marking strips; on reel; 3 mm wide; plain; Self-adhesive	www.wago.com/210-832
	Item no.: 210-833 Marking strips; on reel; 6 mm wide; plain; Self-adhesive	www.wago.com/210-833

**Item no.: 210-834**

Marking strips; on reel; 5 mm wide; plain; Self-adhesive

www.wago.com/210-834**Female plug****Item no.: 769-101**1-conductor female plug; 4 mm²; 1-polewww.wago.com/769-101**Item no.: 769-102**1-conductor female plug; 4 mm²; 2-polewww.wago.com/769-102**Item no.: 769-102/000-036**1-conductor female plug; 4 mm²; 2-polewww.wago.com/769-102/000-036**Item no.: 769-102/000-037**1-conductor female plug; 4 mm²; 2-polewww.wago.com/769-102/000-037**Item no.: 769-103**1-conductor female plug; 4 mm²; 3-polewww.wago.com/769-103**Item no.: 769-103/000-036**1-conductor female plug; 4 mm²; 3-polewww.wago.com/769-103/000-036**Item no.: 769-103/000-037**1-conductor female plug; 4 mm²; 3-polewww.wago.com/769-103/000-037**Item no.: 769-103/000-038**1-conductor female plug; 4 mm²; 3-polewww.wago.com/769-103/000-038**Item no.: 769-103/000-039**1-conductor female plug; 4 mm²; 3-polewww.wago.com/769-103/000-039**Item no.: 769-104**1-conductor female plug; 4 mm²; 4-polewww.wago.com/769-104**Item no.: 769-104/000-036**1-conductor female plug; 4 mm²; 4-polewww.wago.com/769-104/000-036**Item no.: 769-104/000-037**1-conductor female plug; 4 mm²; 4-polewww.wago.com/769-104/000-037**Item no.: 769-104/000-038**1-conductor female plug; 4 mm²; 4-polewww.wago.com/769-104/000-038**Item no.: 769-104/000-039**1-conductor female plug; 4 mm²; 4-polewww.wago.com/769-104/000-039

**Item no.: 769-105**1-conductor female plug; 4 mm²; 5-polewww.wago.com/769-105**Item no.: 769-105/000-036**1-conductor female plug; 4 mm²; 5-polewww.wago.com/769-105/000-036**Item no.: 769-105/000-037**1-conductor female plug; 4 mm²; 5-polewww.wago.com/769-105/000-037**Item no.: 769-105/000-038**1-conductor female plug; 4 mm²; 5-polewww.wago.com/769-105/000-038**Item no.: 769-105/000-039**1-conductor female plug; 4 mm²; 5-polewww.wago.com/769-105/000-039**Item no.: 769-105/021-000**1-conductor female plug; Locking lever; 4 mm²; 5-polewww.wago.com/769-105/021-000**Item no.: 769-106**1-conductor female plug; 4 mm²; 6-polewww.wago.com/769-106**Item no.: 769-106/000-006**1-conductor female plug; 4 mm²; 6-polewww.wago.com/769-106/000-006**Item no.: 769-106/000-036**1-conductor female plug; 4 mm²; 6-polewww.wago.com/769-106/000-036**Item no.: 769-106/000-037**1-conductor female plug; 4 mm²; 6-polewww.wago.com/769-106/000-037**Item no.: 769-106/000-038**1-conductor female plug; 4 mm²; 6-polewww.wago.com/769-106/000-038**Item no.: 769-106/000-039**1-conductor female plug; 4 mm²; 6-polewww.wago.com/769-106/000-039**Item no.: 769-107**1-conductor female plug; 4 mm²; 7-polewww.wago.com/769-107**Item no.: 769-107/000-036**1-conductor female plug; 4 mm²; 7-polewww.wago.com/769-107/000-036**Item no.: 769-107/000-037**1-conductor female plug; 4 mm²; 7-polewww.wago.com/769-107/000-037

**Item no.: 769-107/000-038**1-conductor female plug; 4 mm²; 7-polewww.wago.com/769-107/000-038**Item no.: 769-107/000-039**1-conductor female plug; 4 mm²; 7-polewww.wago.com/769-107/000-039**Item no.: 769-108**1-conductor female plug; 4 mm²; 8-polewww.wago.com/769-108**Item no.: 769-108/000-036**1-conductor female plug; 4 mm²; 8-polewww.wago.com/769-108/000-036**Item no.: 769-108/000-037**1-conductor female plug; 4 mm²; 8-polewww.wago.com/769-108/000-037**Item no.: 769-108/000-038**1-conductor female plug; 4 mm²; 8-polewww.wago.com/769-108/000-038**Item no.: 769-108/000-039**1-conductor female plug; 4 mm²; 8-polewww.wago.com/769-108/000-039**Item no.: 769-109**1-conductor female plug; 4 mm²; 9-polewww.wago.com/769-109**Item no.: 769-109/000-036**1-conductor female plug; 4 mm²; 9-polewww.wago.com/769-109/000-036**Item no.: 769-109/000-037**1-conductor female plug; 4 mm²; 9-polewww.wago.com/769-109/000-037**Item no.: 769-109/000-038**1-conductor female plug; 4 mm²; 9-polewww.wago.com/769-109/000-038**Item no.: 769-109/000-039**1-conductor female plug; 4 mm²; 9-polewww.wago.com/769-109/000-039**Item no.: 769-110**1-conductor female plug; 4 mm²; 10-polewww.wago.com/769-110**Item no.: 769-110/000-036**1-conductor female plug; 4 mm²; 10-polewww.wago.com/769-110/000-036**Item no.: 769-110/000-037**1-conductor female plug; 4 mm²; 10-polewww.wago.com/769-110/000-037

**Item no.: 769-110/000-038**

1-conductor female plug; 4 mm²; 10-pole

www.wago.com/769-110/000-038**Item no.: 769-110/000-039**

1-conductor female plug; 4 mm²; 10-pole

www.wago.com/769-110/000-039**Item no.: 769-111**

1-conductor female plug; 4 mm²; 11-pole

www.wago.com/769-111**Item no.: 769-111/000-036**

1-conductor female plug; 4 mm²; 11-pole

www.wago.com/769-111/000-036**Item no.: 769-111/000-037**

1-conductor female plug; 4 mm²; 11-pole

www.wago.com/769-111/000-037**Item no.: 769-111/000-038**

1-conductor female plug; 4 mm²; 11-pole

www.wago.com/769-111/000-038**Item no.: 769-111/000-039**

1-conductor female plug; 4 mm²; 11-pole

www.wago.com/769-111/000-039**Item no.: 769-112**

1-conductor female plug; 4 mm²; 12-pole

www.wago.com/769-112**Item no.: 769-112/000-036**

1-conductor female plug; 4 mm²; 12-pole

www.wago.com/769-112/000-036**Item no.: 769-112/000-037**

1-conductor female plug; 4 mm²; 12-pole

www.wago.com/769-112/000-037**Item no.: 769-112/000-038**

1-conductor female plug; 4 mm²; 12-pole

www.wago.com/769-112/000-038**Item no.: 769-112/000-039**

1-conductor female plug; 4 mm²; 12-pole

www.wago.com/769-112/000-039**Item no.: 769-113**

1-conductor female plug; 4 mm²; 13-pole

www.wago.com/769-113**Item no.: 769-113/000-036**

1-conductor female plug; 4 mm²; 13-pole

www.wago.com/769-113/000-036**Item no.: 769-113/000-037**

1-conductor female plug; 4 mm²; 13-pole

www.wago.com/769-113/000-037

**Item no.: 769-113/000-038**1-conductor female plug; 4 mm²; 13-polewww.wago.com/769-113/000-038**Item no.: 769-113/000-039**1-conductor female plug; 4 mm²; 13-polewww.wago.com/769-113/000-039**Item no.: 769-114**1-conductor female plug; 4 mm²; 14-polewww.wago.com/769-114**Item no.: 769-114/000-036**1-conductor female plug; 4 mm²; 14-polewww.wago.com/769-114/000-036**Item no.: 769-114/000-037**1-conductor female plug; 4 mm²; 14-polewww.wago.com/769-114/000-037**Item no.: 769-114/000-038**1-conductor female plug; 4 mm²; 14-polewww.wago.com/769-114/000-038**Item no.: 769-114/000-039**1-conductor female plug; 4 mm²; 14-polewww.wago.com/769-114/000-039**Item no.: 769-115**1-conductor female plug; 4 mm²; 15-polewww.wago.com/769-115**Item no.: 769-115/000-036**1-conductor female plug; 4 mm²; 15-polewww.wago.com/769-115/000-036**Item no.: 769-115/000-037**1-conductor female plug; 4 mm²; 15-polewww.wago.com/769-115/000-037**Item no.: 769-115/000-038**1-conductor female plug; 4 mm²; 15-polewww.wago.com/769-115/000-038**Item no.: 769-115/000-039**1-conductor female plug; 4 mm²; 15-polewww.wago.com/769-115/000-039**Item no.: 769-121**2-conductor female connector; 4 mm²; 1-polewww.wago.com/769-121**Item no.: 769-122**2-conductor female connector; 4 mm²; 2-polewww.wago.com/769-122**Item no.: 769-123**2-conductor female connector; 4 mm²; 3-polewww.wago.com/769-123**Item no.: 769-124**2-conductor female connector; 4 mm²; 4-polewww.wago.com/769-124



Item no.: 769-125
2-conductor female connector; 4 mm²; 5-pole

www.wago.com/769-125



Item no.: 769-126
2-conductor female connector; 4 mm²; 6-pole

www.wago.com/769-126



Item no.: 769-127
2-conductor female connector; 4 mm²; 7-pole

www.wago.com/769-127



Item no.: 769-128
2-conductor female connector; 4 mm²; 8-pole

www.wago.com/769-128



Item no.: 769-129
2-conductor female connector; 4 mm²; 9-pole

www.wago.com/769-129



Item no.: 769-130
2-conductor female connector; 4 mm²; 10-pole

www.wago.com/769-130



Item no.: 769-131
2-conductor female connector; 4 mm²; 11-pole

www.wago.com/769-131



Item no.: 769-132
2-conductor female connector; 4 mm²; 12-pole

www.wago.com/769-132



Item no.: 769-133
2-conductor female connector; 4 mm²; 13-pole

www.wago.com/769-133



Item no.: 769-134
2-conductor female connector; 4 mm²; 14-pole

www.wago.com/769-134



Item no.: 769-135
2-conductor female connector; 4 mm²; 15-pole

www.wago.com/769-135

Coding



Item no.: 769-435
Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors

www.wago.com/769-435

ferrule



Item no.: 216-101
Ferrule; Sleeve for 0.5 mm² / AWG 22; uninsulated; electro-tin plated

www.wago.com/216-101



Item no.: 216-102
Ferrule; Sleeve for 0.75 mm² / AWG 20; uninsulated; electro-tin plated

www.wago.com/216-102



Item no.: 216-103
Ferrule; Sleeve for 1 mm² / AWG 18; uninsulated; electro-tin plated

www.wago.com/216-103



Item no.: 216-104
Ferrule; Sleeve for 1.5 mm² / AWG 16; uninsulated; electro-tin plated

www.wago.com/216-104



Item no.: 216-201
Ferrule; Sleeve for 0.5 mm² / AWG 22; insulated; electro-tin plated

www.wago.com/216-201



Item no.: 216-202
Ferrule; Sleeve for 0.75 mm² / AWG 20; insulated; electro-tin plated

www.wago.com/216-202

Item no.: 216-203



	Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated	www.wago.com/216-203
	Item no.: 216-204 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated	www.wago.com/216-204
	Item no.: 216-206 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated	www.wago.com/216-206
	Item no.: 216-301 Ferrule; Sleeve for 0.25 mm ² / AWG 24; insulated; electro-tin plated	www.wago.com/216-301
	Item no.: 216-302 Ferrule; Sleeve for 0.34 mm ² / AWG 24; insulated; electro-tin plated	www.wago.com/216-302

Downloads

Documentation

Bid Text

769-665/004-000	Oct 19, 2017	DOC 25.6 kB	Download
-----------------	--------------	----------------	----------

Subject to changes.

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +91-120-4388700.