

Instruction Sheets:

- None Available

CAD Files:

- None Available

[List all Documents](#)**Product Features** (Please use the Product Drawing for all design activity)**Product Type Features:**

- [Product Type](#) = Connector
- Gender = Bulkhead Jack
- [Body Style](#) = Straight
- [Body Material](#) = Brass/Beryllium Copper
- Weatherproof = No
- [Solder Terminal](#) = Without
- Panel Thickness (mm [in]) = 3.20 [0.126]
- Dielectric Material = PTFE
- Coupling Nut Material = Brass

Mechanical Attachment:

- Panel Attachment = Without
- Panel Attachment Method = Hex Nut
- Panel Cutout = 12.0mm x 12.9mm D-Shape

Electrical Characteristics:

- [Connector Impedance \(\$\Omega\$ \)](#) = 50

Termination Related Features:

- [Coaxial Cable Termination Type](#) = Solder

Body Related Features:

- [Body Plating](#) = Nickel
- Dielectric O.D. Max. (mm [in]) = 3.00 [0.118]
- Conductor O.D. (mm [in]) = 1.27 [0.050]

Contact Related Features:

- Center Contact Plating
- Center Contact Material

Housing Related Features:

- Shield O.D. (Min.) (mm [in]) = 0.083 - 0.197

Configuration Related Features:

- [Coaxial Cable Type \(mm \[in\]\)](#) = 303, 400, 58
- OR
Select the Dim Jacket OD (mm [in]) = 0.276

Industry Standards:

- Government/Industry
- [RoHS/ELV Compliance](#)
- [Lead Free Solder Process](#) = lead free process
- RoHS/ELV Compliance = ELV compliant

Conditions for Usage:

- [Terminate To](#) = Coaxial
- Operating Temperature

Other:

- Brand = Raychem

[Provide Website Feedback](#) | [Need Help?](#)[Home](#) | [Customer Support](#) | [Suppliers](#) | [Site Map](#) | [Privacy Policy](#) | [Browser Support](#)

© 2008 Tyco Electronics Corporation All Rights Reserved