

IP68 防水接线器/ waterproof connector

**KH-M685-AS-4P**



**2P**



**3P**



**4P**




**5P**



## 产品参数/Technical data

|                                                                                                                                                                                                                |                                                                                     |                                                                                       |                                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 型号 Model                                                                                                                                                                                                       | KH-M685-AS-4P                                                                       |                                                                                       |                                                                                       |
| 材料 Material                                                                                                                                                                                                    | 防火阻燃 Fire and flame retardant<br>UL94V-2                                            |                                                                                       |                                                                                       |
| 额定输出 Rated output                                                                                                                                                                                              | IEC/NSW:32A 450VAC     ETL:18A 300VAC                                               |                                                                                       |                                                                                       |
| 防护等级 IP code                                                                                                                                                                                                   | IP68                                                                                |                                                                                       |                                                                                       |
| 接线内芯 Terminal                                                                                                                                                                                                  | 2P/3P/4P/5P                                                                         |                                                                                       |                                                                                       |
| 工作温度 Working                                                                                                                                                                                                   | T105                                                                                |                                                                                       |                                                                                       |
| 接线范围 Rated connecting capacity                                                                                                                                                                                 | 欧规 European:0.5 ~ 4.0mm²<br>澳规 Australia:0.5 ~ 4.0mm²<br>美规 American: SJOW 12-14AWG |                                                                                       |                                                                                       |
| 密封胶塞/seal plug                                                                                                                                                                                                 |  |  |  |
| 胶塞孔径/plug aperture                                                                                                                                                                                             | 8mm                                                                                 | 12mm                                                                                  | 14mm                                                                                  |
| 适用线径/Available cable diameter<br>(橡胶圆线/Round rubber cable)                                                                                                                                                     | 2*M25(4-8mm)                                                                        | 2*M25(8-12mm)                                                                         | 2*M25(10-14mm)                                                                        |
| 防水测试 Testing                                                                                                                                                                                                   | 20M 150hours                                                                        |                                                                                       |                                                                                       |
| 参考剥线长度<br>Refer to stripping length                                                                                                                                                                            | 外剥线 External stripping 25mm<br>内剥线 Internal stripping 6mm                           |                                                                                       |                                                                                       |
| 产品尺寸 Product Size(参考实际尺寸图)                                                                                                                                                                                     | 93.2*30mm ( Refer to actual drawing )                                               |                                                                                       |                                                                                       |
| 认证 Certification                                                                                                                                                                                               | ENEC,CE,UKCA,ETL,NSW,CB,ROHS                                                        |                                                                                       |                                                                                       |
| 产品应用/Application                                                                                                                                                                                               | 水底/Underwater(淡水 fresh water)<br>地埋/Underground                                     |                                                                                       |                                                                                       |
| 注/Mark:<br><br>1.不能使用在盐碱土壤/Do not use in saline soil<br>2.不能长期接触油性物质或浸泡在油污中/Do not contact oily substances or soak in oil for a longtime<br>3.不建议长期在日照暴晒下使用/Longtime exposed under sunshine is not recommended |                                                                                     |                                                                                       |                                                                                       |

产品图纸/Product drawings



参考剥线长度  
Refer to stripping length

