






SECTION G-G



NOTES 备注:

1. MATERIAL 材料:

1.1 HOUSING 胶壳: THERMOPLASTIC, HIGH TEMP, UL94V-0,
COLOR: SEE PART No..

1.2 CONTACTS 端子: COPPER ALLOY.

1.3 HOLD DOWN 压端: COPPER ALLOY.

2. FINISH 电镀:

2.1 CONTACT 端子:

SELECTIVE GOLD PLATING ON THE CONTACT AREA.

100μ" MIN. MATTE-TIN PLATING ON THE SOLDERTAILS,
50μ" MIN. NICKEL UNDERPLATING OVERALL.

2.2 HOLD DOWN 压端:

100μ" MIN. MATTE-TIN PLATING WITH 50μ" MIN.
NICKEL UNDERPLATE OVERALL.

X1650 W V S - 164 - 9T V01

① ② ③ ④ ⑤ ⑥ ⑦

① Series Nunber

② Terminal form: W-Wafer

③ Welding Board Angle : V-Stright Angle 180°

④ Welding Way:S-SMT

⑤ No.of Pins: XX-36~164 Pin

⑥ Plastic material: PA9T/PA46 UL94V-0

⑦ Contact Plating:V01-Gold Flash



V15-Gold 15u"

V30-Gold 30u"

DIMENSIONS

POSITION	A ±0.20	B ^{+0.20} _{-0.08}	C ±0.25	D ±0.25	E ±0.30
36	6.00	7.65	9.15	25	27
64	20.00	21.65	23.15	39	41
98	37.00	38.65	40.15	56	58
164	70.00	71.65	73.15	89	91

								DSND		SCALE: N/A	MODEL TYPE:				
						ANGLAR	±5°		DWN		VIEW: 	PART NO.: X1650WVS-164-9TV01			
ΔX						L≤ 4	±0.2		CHKD		UNIT: mm/in	DWG NO.: X-X1650WVS-164-9TV01			
ΔX						4<L≤ 16	±0.3		APPD		SIZE: A4				
ΔX						16<L≤ 63	±0.4								
MARK		DESCRIPTION	DATE	REVISED	APPROVED	L> 63	±0.5								
							UNSPECIFIED TOLERANCES		XKB INDUSTRIAL PRECISION CO.,LIMITED				WEIGHT	SHEET	REVISION
														1/1	A0



RECOMMENDED PCB LAYOUT
(COMPONENT SIDE)
TOLERANCE: ±0.05

POS.	DIM. A	DIM. H	DIM. J	DIM. K
36	6	8.15	9.15	28.0
64	20	22.15	23.15	42.0
98	37	39.15	40.15	59.0
164	70	72.15	73.15	92.0



MARK	DESCRIPTION	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
Δx					ANGLAR ±5°
Δx					L ≤ 4 ±0.2
Δx					4 < L ≤ 16 ±0.3
Δx					16 < L ≤ 63 ±0.4
Δx					L > 63 ±0.5
MARK	DESCRIPTION	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
REVISIONS					
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn					

XKB

XKB INDUSTRIAL PRECISION CO., LIMITED



DSND		SCALE: N/A	MODEL TYPE:
DWN		VIEW:	PART NO.: X1650WVS-164-9TV01
CHKD		UNIT: mm/in	DWG NO.: X-X1650WVS-164-9TV01
APPD		SIZE: A4	WEIGHT SHEET REVISION
		1/1	A0

36 Pos.




WITH CAP

64 Pos.




WITH MYLAR

98 Pos.



164 Pos.



MARK	DESCRIPTION	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
Δx					ANGLAR ±5°
Δx					L ≤ 4 ±0.2
Δx					4 < L ≤ 16 ±0.3
Δx					16 < L ≤ 63 ±0.4
Δx					L > 63 ±0.5
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn					



XKB INDUSTRIAL PRECISION CO.,LIMITED

DSND		SCALE: N/A	MODEL TYPE:
DWN		VIEW:	PART NO.: X1650WVS-164-9TV01
CHKD		UNIT: mm/in	DWG NO.: X-X1650WVS-164-9TV01
APPD		SIZE: A4	WEIGHT
			SHEET 1/1
			REVISION A0