







SECTION E-E
SCALE 2:1





					DSND		SCALE: N/A	MODEL TYPE:	
					DWN		VIEW:	PART NO.:	
					CHKD		UNIT: mm/in	X9414WVS-288T2-9TV15	
					APPD		SIZE: A4	DWG NO.:	
								X-X9414WVS-288T2-9TV15	
								WEIGHT	SHEET
								1/1	REVISION
									A0

					ANGLAR	±5°
Δx					L≤ 4	±0.2
Δx					4<L≤ 16	±0.3
Δx					16<L≤ 63	±0.4
MARK	DESCRIPTION	DATE	REVISED	APPROVED	L> 63	±0.5
REVISIONS					UNSPECIFIED TOLERANCES	
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn						




XKB INDUSTRIAL PRECISION CO., LIMITED




—	0.40 (M)
---	----------

DSND		SCALE: N/A	MODEL TYPE:		
DWN		VIEW: 	PART NO.: X9414WVS-288T2-9TV15		
CHKD		UNIT: mm/in	DWG NO.: X-X9414WVS-288T2-9TV15		
APPD		SIZE: A4			
L PRECISION CO.,LIMITED			WEIGHT	SHEET	REVISION
				1/1	A0




RECOMMENDED PCB LAYOUT (TOP VIEW)
FOR 3 BOARDLOCKS



RECOMMENDED PCB LAYOUT (TOP VIEW)
FOR 3 TABS

-Z-

								DSND		SCALE: N/A	MODEL TYPE:		
Δx					ANGLAR	±5°		DWN		VIEW: 	PART NO.: X9414WVS-288T2-9TV15		
Δx					4<L≤ 16	±0.3		CHKD		UNIT: mm/in	DWG NO.: X-X9414WVS-288T2-9TV15		
Δx					16<L≤ 63	±0.4		APPD		SIZE: A4			
MARK	DESCRIPTION			DATE	REVISED	APPROVED		L> 63	±0.5				
REVISIONS							UNSPECIFIED TOLERANCES		XKB INDUSTRIAL PRECISION CO.,LIMITED				
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn													
											WEIGHT	SHEET	REVISION
												1/1	A0



20.70	147.50	158.50	162.00	LONG
20.30	145.50	156.00	156.00	MIDDLE
20.20	142.00	151.50	152.00	SHORT
DIM.D	DIM.C	DIM.B	DIM.A	LATCH TYPE

X9414 W V S - 288 T 2 - 9T V15

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

①Series Nunber

②Terminal form: WAFER

③Welding Board Angle : V-Stright Angle 180°

④Welding Way:S-SMT

⑤No.of Pins: 288PIN

⑥BOARDLOCK TYPE: B.BOARD LOCKS TYPE
T.TAB type

⑦LATCH TYPE: 1.short latch;2.long latch;3.middle latch

⑧Plastic material: PA9T

⑨Contact Plating:V15 Gold15"u"
V30 Gold 30"u"

NOTES 注释:

1. MATERIAL材料:

1.1 HOUSING外壳: HIGH PERFROMANCE RESINS, GLASS FILBER,UL94V-0;COLOR:BLACK.

1.2 LATCH锁: HIGH PERFROMANCE RESINS, GLASS FILBER, UL94 V-O;COLOR: BLACK.

1.3 CONTACTS触点: COPPER ALLOY.

1.4 BOARDLOCK针脚: STAINLESS STEEL.

1.5 TABS标签: STAINLESS STEEL.

2. FINISH饰面:

2.1 CONTACT触点:

[SEE PART NO..] GOLD PLATING ON THE CONTACT AREA.

2.54um [100u"] MIN. MATTE-TIN PLATING ON THE SOLDERING AREA

1.27um [50u"] MIN. NICKEL UNDERPLATING OVERALL.

							DSND		SCALE: N/A	MODEL TYPE:		
						ANGLAR	±5°		DWN	VIEW: 	PART NO.: X9414WVS-288T2-9TV15	
Δx						L≤ 4	±0.2		CHKD	UNIT: mm/in	DWG NO.: X-X9414WVS-288T2-9TV15	
Δx						4<L≤ 16	±0.3					
Δx						16<L≤ 63	±0.4					
MARK	DESCRIPTION			DATE	REVISED	APPROVED	L> 63	±0.5	APPD	SIZE: A4	X-X9414WVS-288T2-9TV15	
REVISIONS						UNSPECIFIED TOLERANCES			XKB INDUSTRIAL PRECISION CO.,LIMITED			
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn									WEIGHT			
									SHEET			
									REVISION			
									1/1			
									A0			