







16-0.20±0.05
A1 B12 A5 B9 B8 A5 B7 A6 A7 B6 A8 B5 B4 A9 B1 A12



SECTION B-B
SCALE 1:1



SECTION A-A
SCALE 1:1

MAPX

MODIFICATION

DATE

NOTE:

1.MATERIAL SPECIFICATION:

1.HOUSING:HIGH TEMPERATURE RESISTANT PLASTIC,UL94 V-0.

2.CONTACTS:COPPER ALLOY

3.MID PLATE: STAINLESS STEEL

2.PLATING SPECIFICATION:

2-1.CONTACTS:

Ni 50u" MIN. UNDER PLATED OVER ALL.

Au PLATED ON THE FUNCTIONAL AREA OF CONTACT.

(GOLD PLATING THICKNESS FOLLOW THE P/N)

GOLD FLASH PLATING ON SOLDER AREA

2-2.FRONT SHELL:

Ni 30u" MIN. UNDER PLATED OVER ALL.

3.MECHANICAL PERFORMANCE,

3-1.INSERTION FORCE: 0.5~2.0kgf.

3-2.REMOVAL FORCE: 0.8kgf~2.0kgf.

3-3.DURABILITY: 10000 CYCLES.

4.ELECTRICAL PERFORMANCE,

4-1. CURRENT RATING: 5A
VOLTAGE RATING: 20V

4-2.INSULATION RESISTANCE: 100MΩ MIN

4-3.DIELECTRIC WITHSTAND VOLTAGE,AC 100V FOR 1 MINUTE.

4-4.LOW CONTACT RESISTANCE: INITIAL 40MΩ

5. ENVIRONMENTAL PERFORMANCE:

OPERATING TEMPERATURE: -30°C~+80°C.

6.IR REFLOW:

THE PEAK TEMPERATURE ON THE BOARD SHALL
BE MAINTAINED FOR 10 SECONDS AT 260°C.

产品图

PRODUCT CHART DWG


公差一览表

TOLERANCE UNLESS OTHERWISE

X.	±0.30	X.	±5.°
.X	±0.25	.X	±2.°
.XX	±0.15	.XX	±1.°
.XXX	±0.10	.XXX	±0.5°


深圳市精拓金电子有限公司

单位 UNITS	MM	制图 DRAWING	Gavin	制图料号 PRODUCT PART NO.	918-418K2023S40040
比例 SCALE	1:1	审核 CHKD	郭志富	产品名称 PRODUCT NO.	TYPE-C3.1母座板上7.35四脚加高1.0单排SMT有柱 16PIN
日期 DATE	2019. 11. 23	核准 APPD	黄国荣	角法 VIEW	版本 VER
					AO




NOTES

- 1.帶子引導長度
LEAD TAPE LENGTH
- 出料方向
PULL OUT DIRECTEON
- 出料方向
PULL OUT DIRECTEON




- 2.上帶剥力為：0.1~1.3N(10.2gf~130gf)
PEELING OFF FORCE OF TOP TAPE:0.1~1.3N(10.2gf~130gf)
- 出貨運輸過程中一定注意：
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT：
- 卷帶在運輸過程中不能數開
PEELING OFF SHOULD NOT BE ALLOWED DURING TRANSPORTATION



TAPE & REEL 14 PCS


1 REEL
= 1000 PCS



BOX

LABEL

DIMENSIONS:
33.5X33.5X30.5



1 CARTON
=14 REELS
=10000 PCS

包裝明細表 (The detail of the packing) Carton			
產品料號 (Product No.)	包裝容量 (Packing Capacity)	重量 (Kg)	
pcs/box	boxes/Carton	Pcs/Box	N.W./Box G.W./Box

UCR02-2161X-00XR	1000	14	14000	----	----
------------------	------	----	-------	------	------

產品圖

深圳市精拓金电子有限公司

公差一覽表		單位		制圖	制圖料号
TOLERANCE (UNLESS OTHERWISE)		UNITS	MM	DRAWING	PRODUCT PART NO.
X.	±0.30	X.	±5.°	審核	郭志富
.X	±0.25	X	±2.°	日期	2019.11.23
.XX	±0.15	.XX	±1.°	核准	黃國榮
.XXX	±0.10	.XXX	±0.5	DATE	VER