


STRADDLE MOUNT



DIMENSIONS

1. MATERIAL材料:

1.2 CONTACTS触点: COPPER ALLOY.



2.1 CONTACT触点:

SELECTEIVE GOLD PLATING ON CONTACT AREA.




XKLB


XKB INDUSTRIAL PRECISION CO.,LIMITED



RECOMMENDED OF PCB DIMENSIONS TOLERANCE: ±0.05



SCALE 2:1





DIMENSIONS				
POSITION	A	C	F	G
36	6	12.30	8.15	B PIN#17
64	20	26.30	22.15	B PIN#31
98	37	43.30	39.15	B PIN#48
164	70	76.30	72.15	B PIN#81

X3126 W S - 64 - 9T V01

① ② ③ ④ ⑤ ⑥

- ① Series Number
- ② Terminal form: W-Wafer
- ③ Welding Board Angle : Straddle
- ④ No.of Pins: 36~164 Pin
- ⑤ Plastic material: PA9T/PA46 UL94V-0
- ⑥ Contact Plating: V01-Gold Flash
V15-Gold 15u"
V30-Gold 30u"

							DSND		SCALE: N/A	MODEL TYPE:		
					ANGLAR	±5°		DWN		VIEW: 	PART NO.:	
Δx					L≤ 4	±0.2					X3126WS-64-9TV01	
Δx					4<L≤ 16	±0.3		CHKD		UNIT: mm/in	DWG NO.:	
Δx					16<L≤ 63	±0.4					X-3126WS-64-9TV01	
MARK	DESCRIPTION	DATE	REVISED	APPROVED	L> 63	±0.5		APPD		SIZE: A4		
REVISIONS							UNSPECIFIED TOLERANCES					
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn							XKB INDUSTRIAL PRECISION CO.,LIMITED			WEIGHT	SHEET	REVISION
											1/1	A0



DIMENSIONS	
POSITION	H
36	20.4
64	34.4
98	51.4
164	84.4

					ANGLAR	±5°
Δx					L ≤ 4	±0.2
Δx					4 < L ≤ 16	±0.3
Δx					16 < L ≤ 63	±0.4
MARK	DESCRIPTION	DATE	REVISED	APPROVED	L > 63	±0.5
REVISIONS					UNSPECIFIED TOLERANCES	
www.helloxkb.com www.helloxkb.cn www.xk-dq.cn						



DSND		SCALE: N/A	MODEL TYPE:		
DWN		VIEW: 	PART NO.: X3126WS-64-9TV01		
CHKD		UNIT: mm/in	DWG NO.: X-X3126WS-64-9TV01		
APPD		SIZE: A4			
L PRECISION CO., LIMITED			WEIGHT	SHEET	REVISION
				1/1	A0